



- SHEET NOTES:**
- SYMBOL DESCRIPTION: (THESE NOTES SPECIFIC TO THIS DRAWING)
- 01 EXISTING COVERED WALK
 - 02 NEW 5'W CONCRETE WALK.
 - 03 CONSERVATION LINE
 - 04 EXISTING ELEVATED WOOD WALK-OVER
 - 05 CONCRETE LANDING
 - 06 4' GATE IN CONSTRUCTION FENCE
 - 07 INSTALL LEVEL CONCRETE LANDING, ELEV 38.65. REMOVE AT END OF CONSTRUCTION
 - 08 NEW TEMPORARY CONSTRUCTION ENTRANCE GATE
 - 09 NEW TEMPORARY CONSTRUCTION FENCE. MAINTAIN STUDENT EXIT ACCESS
 - 10 5' WIDE 4" THICK TEMPORARY CONCRETE WALK. REMOVE AT END OF CONSTRUCTION AND CONNECT NEW WALK TO EXISTING
 - 11 ALUMINUM RAMP PROVIDED AND INSTALLED BY OWNER
 - 12 THE INTENT IS TO PROVIDE TEMPORARY ACCESS TO THE PLAYGROUND. MODIFY THE 7th BAY OF THE RAISED WALK-OVER AND PROVIDE NEW LANDING, INSTALL POSTS, BEAMS, DECKING, RAILS, TOPS ETC. IN THE SAME MATERIAL THAT EXISTS AND IN THE SAME MANNER. RETURN TO ORIGINAL CONDITION UPON COMPLETION
 - 13 TEMPORARY GUARDRAIL. REMOVE AT END OF CONSTRUCTION
 - 14 AT CONTRACTOR'S OPTION TEMPORARILY REMOVE PORTION OF RAISED WALK OVER FOR SITE USE. RETURN WALK-OVER TO ORIGINAL CONDITION
 - 15 EXISTING WALK AND CANOPY TO REMAIN
 - 16 TERMINATE EXISTING CANOPY AT THIS LOCATION. NEATLY CUT EXISTING BEAMS AND CANOPY TO RECEIVE TWO SALVAGED STEEL COLUMNS. ALIGN COLUMNS WITH EXISTING BEAMS AND INSTALL SALVAGED ANGLE AND WELD TO ALL. INSTALL BOTH COLUMNS ON CONCRETE FOOTINGS 16"x16"x10" DEEP. PROVIDE BASE PLATES AND 2 EACH EXPANSION ANCHORS. CLOSE ALL BEAM AND COLUMN ENDS.

IRRIGATION NOTES:

THE PRESENT IRRIGATION SHALL BE MAINTAINED AND MODIFIED IN A MANNER TO COMPLY WITH THE CONTRACT DOCUMENTS. INVESTIGATE PRESENT CONDITIONS PRIOR TO THE BEGINNING OF CONSTRUCTION.

- GENERAL NOTES:**
- 1. THIS ARCHITECTURAL SITE PLAN IS PROVIDED FOR INFORMATIONAL AND INSTRUCTIONAL PURPOSES AND SHALL NOT BE CONSTRUED AS THE EXTENT OF THE CONTRACT.
 - 2. REFER TO SPECIFICATION SECTION 01500 SAFETY PLAN.
 - 3. ITEMS REMOVED AND SITE MODIFICATIONS MADE FOR SITE ACTIVITY DURING CONSTRUCTION SHALL BE RETURNED TO ORIGINAL CONDITION. THIS WILL INCLUDE BUT NOT NECESSARILY BE LIMITED TO GRASS, IRRIGATION, CONCRETE, CURB, ASPHALT, UTILITIES, ETC.
 - 4. REPLACE FENCE AS REQUIRED AFTER CONSTRUCTION IS COMPLETED.

PINDER-MARTIN ASSOCIATES, INC.
1001 N. 12th AVENUE
PENSACOLA, FL 32501
850-439-9110
AA26000896

PROJECT:
5 CLASSROOM ADDITION

LOCATION:
WEST NAVARRE INTERMEDIATE SCHOOL
1970 COTTON BAY LANE
NAVARRE, FL 32566

CONSULTANTS:
JEHLE-HALSTEAD, INC.
49 EAST CHARGE STREET
PENSACOLA, FL 32502
CRAFT & WEBSTER
STRUCTURAL ENGINEERING, INC.
129 HIGHPOINT DRIVE
GULF BREEZE, FL 32561
GULF BREEZE CONSULTING, INC.
139 EAST GOVERNMENT STREET
PENSACOLA, FL 32502
ADAMS CONSULTING
ENGINEERING, INC.
3 WEST GARDEN STREET - SUITE 382
PENSACOLA, FL 32502

NEW CLASSROOM ADDITIONS

WEST NAVARRE INTERMEDIATE

No.	Revision/Issue	Date

DAVID J. PINDER
ARCHITECT OF RECORD
AR 0010632

DRAWN BY: djp/klcp
CHECKED BY: mjm
PINDER-MARTIN ASSOCIATES, INC.
PROJECT #: 21118.03
REVIEW: 09-06-11
PERMITTING: 09-09-11
RELEASE FOR BIDDING: 09-19-11

ARCHITECTURAL SITE PLAN

A1.0
21118.04 A1_0